





A
B
C
D
E
F
G
H
I
J
K
L
M
N

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28

RX3E2004803RKP



ECO 10/14/21

APPRD: BDA 4/11/24

CHG BY: RWS 4/11/21

CHANGE CHANGED

SW2 LEGEND TO FROM LOCAL OFF-REMOTE

14

APPRD: BDA 7/24/18

CHG BY: BDA 7/24/18

CHANGE CHANGED TO 3VA BREAKER

12

E 4.10.5

APPRD: AS 2/26/13

CHG BY: BDA 2/25/13

CHANGE CHANGED CUSTOMER CONNECTION CARD NUMBER SHEET 3

11

E 3.9.30

APPRD: AS 11/12/12

CHG BY: BDA 11/12/12

CHANGE CHANGED BREAKER TO SENTRON

10

E 3.7.96

APPRD: JAF 8/14/12

CHG BY: BDA 8/14/12

CHANGE REVISED PER WAVE PROJECT REV TO INITIAL RELEASE

REVISIONS

DO NOT SCALE DWG

THIRD ANGLE PROJECTION

THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN, IS THE PROPERTY OF BENSCHAW INC. AND MAY NOT BE REPRODUCED OR DIVULGED TO UNAUTHORIZED PERSONS WITHOUT THE EXPRESS WRITTEN CONSENT OF BENSCHAW INC. IT IS PROVIDED SOLELY FOR THE CONVENIENCE OF THE USER AND SHALL BE RETURNED UPON REQUEST.

UNLESS OTHERWISE SPECIFIED

ALL DIMENSIONS IN INCHES

INTERPRET DRAWING PER ASME Y14.5M-1994

TOLERANCES: .XX ± .03 .XXX ± .015 ANGLES ± 1°

MATERIAL:

FINISH:

15

APPRD: BDA 10/14/21

CHG BY: BDA 10/14/21

CHANGE: CHANGED CIRCUIT BREAKER AND PILOT DEVICES

16

REV

SCALE: 1:4

SHEET 1 OF 4

615 ALPHA DRIVE
PITTSBURGH, PA. 15238

550 BRIGHT STREET
LISTOWEL, ONTARIO
N4W 3H5

BENSCHAW

RX3E2004803RKP

ENCLOSURE LAYOUT
RX3E-200-480-3RKP
200HP (240 AMPS) @ 480V
(500% CURRENT FOR
30SECONDS, 125%
CONTINUOUS DUTY RATED)

SIGNATURES DATE

DRWN: BDA 8/14/12

CHKD: JAF 8/14/12

ENG: JAF 8/14/12

MFG:

SIZE DWG NO.

D

