



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

R2LR100-43C




Top View




480 V, 600 V Max. Low Z								
Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (lbs)	Losses (W)	Lug Kit	Hole Size
R2LR100-43C	100	124	150	152.00	40	225	21	0.28



Front View





Side View



Bottom View

Notes: 1. Installation Instructions: Manual Part Number 890059-00-00.
2. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.
3. Lug Kits sold separately.

REVISIONS DO NOT SCALE DWG	THIRD ANGLE PROJECTION 	UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN INCHES INTERPRET DRAWING PER ASME Y14.5M-1994 TOLERANCES: .XX ± .03 .XXX ± .015 ANGLES ± 1°	TITLE: LINE REACTOR 3% IMPEDANCE 480V, 100 HP, 124 A OPEN	SIGNATURES _____ DATE _____ DRWN. DRP 06/13/22 CHKD. _____ ENO. DRP 06/13/22 MFG. _____	 BENSHAW 815 ALPHA DRIVE PITTSBURGH, PA 15238 580 BRIGHT STREET LUTWOLD, ONTARIO N4W 3W3	SIZE DWG NO. D	R2LR100-43C	REV 0
	THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN, IS THE PROPERTY OF BENSHAW INC. AND MAY NOT BE REPRODUCED, OR DIVULGED TO UNAUTHORIZED PERSONS WITHOUT THE EXPRESS WRITTEN CONSENT OF BENSHAW INC. IT IS PROVIDED SOLELY FOR THE CONVENIENCE OF THE USER AND SHALL BE RETURNED UPON REQUEST.							
	MATERIAL: _____ FINISH: _____							
				SCALE: 1:1		SHEET 1 OF 1		

SCALE: 1:1

SHEET 1 OF 1