



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

R2LR150-43C


W/ NO.



Top View




Front View





Bottom View

480 V, 600 V Max. Low Z								
Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (lbs)	Losses (W)	Lug Kit	Hole Size
R2LR150-43C	150	180	185	103.00	40	299	21	0.34



Part Number	Horsepower (HP)	Motor Amps (A)	Maximum Amps (A)	Inductance (uH) +/-10%	Weight (lbs)	Losses (W)	Lug Kit	Hole Size
R2LR150-43C	150	180	185	103.00	40	299	21	0.34



Side View



Notes: 1. Installation Instructions: Manual Part Number 890059-00-00.
2. Customer Is Responsible For Installation To Meet All National And Local Electrical Codes.
3. Lug Kits sold separately.

REVISIONS DO NOT SCALE DWG	THIRD ANGLE PROJECTION		UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS IN INCHES INTERPRET DRAWING PER ASME Y14.5M-1994 TOLERANCES: .XX ± .03 .XXX ± .015 ANGLES ± 1°	TITLE: LINE REACTOR 3% IMPEDANCE 480V, 150 HP, 180 A OPEN	SIGNATURES DRWN. DRP 06/13/22 CHKD. ENG. DRP 06/13/22 MFG.	DATE	 BENSHAW	815 ALPHA DRIVE PITTSBURGH, PA 15238 580 BRIGHT STREET LISTOWEN, ONTARIO N4W 5W5	REV 0
	THIS DRAWING AND ALL INFORMATION CONTAINED HEREIN, IS THE PROPERTY OF BENSHAW INC., AND MAY NOT BE REPRODUCED, OR DISCLOSED TO UNAUTHORIZED PERSONS WITHOUT THE EXPRESS WRITTEN CONSENT OF BENSHAW INC. IT IS PROVIDED SOLELY FOR THE CONVENIENCE OF THE USER AND SHALL BE RETURNED UPON REQUEST.			MATERIAL: FINISH:	SIZE D	DWG NO.		R2LR150-43C	SHEET 1 OF 1
				SCALE: 1:1					