



BENSHAW
Applied Motor Controls

List Price Sheets

May 2022 Edition

Low Voltage Variable Frequency Drives

Rapid | Rugged | Global

GM2 SERIES - PRICING

240V - Open Chassis	Normal Duty 120% OL / 1 min.		Heavy Duty 150% OL / 1min.		Dimensions (inches)				
	HP	Amps	HP	Amps	H	W	D	Weight (lbs)	List Price
VFD-RSI-001-GM2-2C	1.0	3.1	0.5	2.5	6.46	3.40	5.50	2.3	\$398
VFD-RSI-002-GM2-2C	2.0	6	1.0	5	6.46	3.40	5.50	2.3	\$420
VFD-RSI-003-GM2-2C	3.0	9.6	2.0	8	6.98	3.98	6.25	3.0	\$448
VFD-RSI-005-GM2-2C	5.0	12	3.0	11	6.98	3.98	6.25	3.1	\$466
VFD-RSI-007-GM2-2C	7.5	18	5.0	17	7.60	5.31	6.25	4.2	\$568
VFD-RSI-010-GM2-2C	10	30	7.5	24	9.46	7.10	6.00	6.8	\$891
VFD-RSI-015-GM2-2C	15	40	10	32	9.46	7.10	6.00	7.1	\$1,007

480V - Open Chassis	Normal Duty 120% OL / 1 min.		Heavy Duty 150% OL / 1min.		Dimensions (inches)				
	HP	Amps	HP	Amps	H	W	D	Weight (lbs)	List Price
VFD-RSI-001-GM2-4C	1.0	2	0.5	1.3	6.46	3.40	5.50	2.3	\$419
VFD-RSI-002-GM2-4C	2.0	3.1	1.0	2.5	6.46	3.40	5.50	2.4	\$437
VFD-RSI-003-GM2-4C	3.0	5.1	2.0	4	6.98	3.98	6.25	3.2	\$460
VFD-RSI-005-GM2-4C	5.0	6.9	3.0	5.5	6.98	3.98	6.25	3.2	\$483
VFD-RSI-007-GM2-4C	7.5	10	5.0	9	7.60	5.31	6.25	4.4	\$546
VFD-RSI-010-GM2-4C	10	16	7.5	12	9.46	7.10	6.00	7.1	\$780
VFD-RSI-015-GM2-4C	15	23	10	16	9.46	7.10	6.00	7.2	\$833

GM2 Series - Accessories

Model Number	Description	List Price
PC-100093-00	Ethernet / IP, Modbus - TCP option, dual port	\$305
KP-100002-00	Keypad / display, remote, w / 1M cable	\$107
KP-100002-01	Keypad / display, remote, w / 2M cable	\$107
KP-100002-02	Keypad / display, remote, w / 3M cable	\$110
KP-100002-03	Keypad / display, remote, w / 5M cable	\$116
EN-101036-00	Conduit box, 1HP - 2HP, 230V / 480V	\$72
EN-101036-01	Conduit box, 3HP - 5HP, 230V / 480V	\$75
EN-101036-02	Conduit box, 7.5HP, 230V / 480V	\$80
EN-101036-03	Conduit box, 10HP - 15HP, 230V / 480V	\$89

S SERIES - PRICING

Protected Chassis - 240V

Model Number	Normal Duty 120% for 60 sec.		Heavy Duty 150% for 60 sec.		Dimensions (inches)			List Price
	HP	Amps	HP	Amps	H	W	D	
VFD-RSI-001-SS-2C	1	3.1	0.5	2.5	5.04	2.68	4.84	\$483
VFD-RSI-002-SS-2C	2	6	1	5	5.04	2.68	5.04	\$555
VFD-RSI-003-SS-2C	3	10	2	8	5.04	3.94	5.12	\$604
VFD-RSI-005-SS-2C	5	12	3	11	5.04	3.94	5.71	\$739
VFD-RSI-007-SS-2C	7.5	18	5.4	17	5.04	5.51	5.71	\$898
VFD-RSI-010-SS-2C	10	30	7.5	24	9.13	6.3	5.51	\$1,309
VFD-RSI-015-SS-2C	15	40	10	32	9.13	6.3	5.51	\$1,601

Protected Chassis - 480V

Model Number	Normal Duty 120% for 60 sec.		Heavy Duty 150% for 60 sec.		Dimensions (inches)			List Price
	HP	Amps	HP	Amps	H	W	D	
VFD-RSI-001-SS-4C	1	2.0	0.5	1.3	7.09	2.68	5.12	\$705
VFD-RSI-002-SS-4C	2	3.1	1	2.5	7.09	2.68	5.12	\$721
VFD-RSI-003-SS-4C	3	5.1	2	4	7.09	3.94	5.51	\$739
VFD-RSI-005-SS-4C	5	6.9	3	5.5	7.09	3.94	5.51	\$772
VFD-RSI-007-SS-4C	7.5	10	5.4	9	7.09	5.51	5.51	\$951
VFD-RSI-010-SS-4C	10	16	7.5	12	9.13	6.3	5.51	\$1,352
VFD-RSI-015-SS-4C	15	23	10	16	9.13	6.3	5.51	\$1,637

S SERIES - ACCESSORIES

DISPLAY / KEYPAD REMOTE MOUNTING

Part Number	Description	List Price
LCD-100001-00	Remote LCD Display/Keypad, S & SW Series VFD	\$131
VFD-2M-RE-CABLE-H2	Bezel & Cable, RJ45, 2M, S/SW/H2 Series VFD, for Remote Mounting	\$35
VFD-3M-RE-CABLE-H2	Bezel & Cable, RJ45, 3M, S/SW/H2 Series VFD, for Remote Mounting	\$48
CV-100017-00	LCD Cover, Remote Mounting, NEMA 4X, S, SW & H2 Series VFD	\$213

COMMUNICATION CARDS AND I/O CARDS

Part Number	Description	List Price
PC-100090-00	Extended I/O Card, S & SW Series VFD	\$329
PC-100092-00	Ethernet IP & Modbus TCP Option Card	\$242
PC-100091-00	Profibus-DP Option Card*	\$435
PC-100094-00	CANopen Option Card	CF
PC-100095-00	Profinet Option Card	\$497

* Profibus cannot be use with SW VFD.
CF Consult Factory

NEMA 1 CONDUIT KITS

Part Number	Description	List Price
EN-100994-00	Conduit Box, 1 HP~2 HP, 230V	\$44
EN-100994-01	Conduit Box, 3 HP~5 HP, 230V	\$44
EN-100994-02	Conduit Box, 7.5 HP, 230V	\$44
EN-100994-03	Conduit Box, 10 HP~15 HP, 230V/460V	\$44
EN-100994-04	Conduit Box, 1 HP~2 HP, 460V	\$44
EN-100994-05	Conduit Box, 3 HP~5 HP, 460V	\$44
EN-100994-06	Conduit Box, 7.5 HP, 460V	\$44

FINS OUT MOUNTING FLANGES

Part Number	Description	List Price
BRKT-100770-00	Mounting flange, 1 HP~2 HP, 230V	\$141
BRKT-100770-01	Mounting flange, 3 HP~5 HP, 230V	\$141
BRKT-100770-02	Mounting flange, 7.5 HP, 230V	\$141
BRKT-100770-03	Mounting flange, 10 HP~15 HP, 230V/460V	\$141
BRKT-100770-04	Mounting flange, 1 HP~2 HP, 460V	\$141
BRKT-100770-05	Mounting flange, 3 HP~5 HP, 460V	\$141
BRKT-100770-06	Mounting flange, 7.5 HP, 460V	\$141

Price Effective May 1, 2022

SW SERIES - PRICING

Model Number	kW Rating	Heavy Duty 150% OL / 1min.		Dimensions (inches)			Degree of Protection*	Weight (lbs)	List Price
		HP	Amps	H	W	D			
VFD-RSI-0F5-SW-24	0.4	0.5	2.5	10.1	7.09	6.85	UL Type 4X / IP66	7.9	\$786
VFD-RSI-001-SW-24	0.75	1	5	10.1	7.09	6.85	UL Type 4X / IP66	7.9	\$799
VFD-RSI-002-SW-24	1.5	2	8	10.19	8.66	7.91	UL Type 4X / IP66	11.5	\$1,024
VFD-RSI-003-SW-24	2.2	3	11	10.19	8.66	7.91	UL Type 4X / IP66	11.7	\$1,089
VFD-RSI-005-SW-24	3.7	5	16	10.19	8.66	7.91	UL Type 4X / IP66	12.3	\$1,458
VFD-RSI-007-SW-24	5.5	7.5	24	12.91	9.84	8.94	UL Type 4X / IP66	19.8	\$2,181
VFD-RSI-010-SW-24	7.5	10	32	12.91	9.84	8.94	UL Type 4X / IP66	19.8	\$2,434
VFD-RSI-015-SW-24	11	15	46	15.73	10.24	9.66	UL Type 4X / IP66	21.2	\$3,008
VFD-RSI-020-SW-24	15	20	60	18.11	11.81	9.84	UL Type 4X / IP66	26.7	\$3,423

* Indoor Washdown only.

Model Number	kW Rating	Heavy Duty 150% OL / 1min.		Dimensions (inches)			Degree of Protection*	Weight (lbs)	List Price
		HP	Amps	H	W	D			
VFD-RSI-0F5-SW-44	0.4	0.5	1.3	10.1	7.09	6.85	UL Type 4X / IP66	8.2	\$958
VFD-RSI-001-SW-44	0.75	1	2.5	10.1	7.09	6.85	UL Type 4X / IP66	8.2	\$979
VFD-RSI-002-SW-44	1.5	2	4	10.19	8.6	7.91	UL Type 4X / IP66	11.7	\$1,050
VFD-RSI-003-SW-44	2.2	3	5.5	10.19	8.6	7.91	UL Type 4X / IP66	12.1	\$1,300
VFD-RSI-005-SW-44	3.7	5	8	10.19	8.6	7.91	UL Type 4X / IP66	12.3	\$2,029
VFD-RSI-007-SW-44	5.5	7.5	12	12.91	9.84	8.94	UL Type 4X / IP66	19.4	\$2,696
VFD-RSI-010-SW-44	7.5	10	16	12.91	9.84	8.94	UL Type 4X / IP66	19.6	\$2,991
VFD-RSI-015-SW-44	11	15	24	15.73	10.24	9.66	UL Type 4X / IP66	21.2	\$3,166
VFD-RSI-020-SW-44	15	20	30	15.73	10.24	9.66	UL Type 4X / IP66	21.6	\$3,840
VFD-RSI-025-SW-44	18.5	25	39	18.11	11.81	9.84	UL Type 4X / IP66	27.3	\$3,910
VFD-RSI-030-SW-44	22	30	45	18.11	11.81	9.84	UL Type 4X / IP66	27.3	\$4,177

* Indoor Washdown only.

SW Series - Accessories

DISPLAY / KEYPAD REMOTE MOUNTING

Part Number	Description	List Price
LCD-100001-00	Remote LCD Display/Keypad, S & SW Series VFD	\$131
VFD-2M-RE-CABLE-H2	Bezel & Cable, RJ45, 2M, S/SW/H2 Series VFD, for Remote Mounting	\$35
VFD-3M-RE-CABLE-H2	Bezel & Cable, RJ45, 3M, S/SW/H2 Series VFD, for Remote Mounting	\$48
CV-100017-00	LCD Cover, Remote Mounting, NEMA 4X, S, SW & H2 Series VFD with 3M Cable	\$213

COMMUNICATION CARDS AND I/O CARDS

Part Number	Description	List Price
PC-100090-00	Extended I/O Card, S & SW Series VFD	\$329
PC-100092-00	Ethernet IP & Modbus TCP Option Card	\$242
PC-100094-00	CANopen Option Card	CF
PC-100095-00	Profinet Option Card	\$497

CF Consult Factory

Price Effective May 1, 2022

H2 SERIES - PRICING

240V

Model Number	Normal Duty 120% OL/1 min.		Heavy Duty 150% OL/1min.		Dimensions (inches)			Degree of Protection*	Weight (lbs)	DC Link Reactor	Dynamic Braking	List Price
	HP	Amps	HP	Amps	H	W	D					
VFD-RSI-007-H2-2C	7.5	22	5	17	9.13	6.30	7.13	IP20	7.3	No	Internal IGBT	\$1,350
VFD-RSI-010-H2-2C	10	30	7.5	24	9.13	6.30	7.13	IP20	7.3	No	Internal IGBT	\$1,539
VFD-RSI-015-H2-2C	15	42	10	32	9.13	6.30	7.13	IP20	7.3	No	Internal IGBT	\$1,694
VFD-RSI-020-H2-2C	20	56	15	46	11.42	7.09	8.08	IP20	10.1	No	Internal IGBT	\$2,371
VFD-RSI-25-H2-2C	25	69	20	60	13.78	8.66	8.79	IP20	15.7	No	Internal IGBT	\$2,935

* For UL type 1 add conduit box option.

480V

Model Number	Normal Duty** 110/120% OL/1 min.		Heavy Duty 150% OL/1min.		Dimensions (inches)			Degree of Protection*	Weight (lbs)	DC Link Reactor	Dynamic Braking	List Price
	HP	Amps	HP	Amps	H	W	D					
VFD-RSI-007-H2-4C	7.5	12	5	8	9.13	6.30	7.13	IP20	7.3	No	Internal IGBT	\$1,298
VFD-RSI-010-H2-4C	10	16	7.5	12	9.13	6.30	7.13	IP20	7.3	No	Internal IGBT	\$1,355
VFD-RSI-015-H2-4C	15	24	10	15	9.13	6.30	7.13	IP20	7.4	No	Internal IGBT	\$1,580
VFD-RSI-020-H2-4C	20	30	15	22	11.42	7.09	8.08	IP20	10.1	No	Internal IGBT	\$2,145
VFD-RSI-025-H2-4C	25	38	20	28	11.42	7.09	8.08	IP20	10.6	No	Internal IGBT	\$2,597
VFD-RSI-030-H2-4C	30	45	25	35	13.78	8.66	8.79	IP20	16.5	No	Internal IGBT	\$2,991
VFD-RSI-040-H2-4C	40	61	30	41	13.78	8.66	8.79	IP20	16.5	No	Internal IGBT	\$3,161
VFD-RSI-050-H2-4C	50	75	40	55	17.72	10.83	11.18	IP20	57	Yes	External***	\$4,515
VFD-RSI-060-H2-4C	60	91	50	67	20.08	12.80	11.18	IP20	77	Yes	External***	\$5,644
VFD-RSI-075-H2-4C	75	107	60	81	20.08	12.80	11.18	IP20	77	Yes	External***	\$5,983
VFD-RSI-100-H2-4C	100	142	75	106	21.67	12.80	12.17	IP20	95	Yes	External***	\$7,563
VFD-RSI-125-H2-4C	125	169	100	136	21.67	12.80	12.17	IP20	95	Yes	External***	\$8,466
VFD-RSI-150-H2-4C	150	223**	125	169	27.80	11.81	15.20	IP20	123	Yes	External***	\$11,288
VFD-RSI-200-H2-4C	200	264**	150	195	27.80	11.81	15.20	IP20	123	Yes	External***	\$11,965
VFD-RSI-250-H2-4C	250	325**	200	255	27.76	14.96	15.59	IP20	165	Yes	External***	\$14,617
VFD-RSI-300-H2-4C	300	370**	250	303	27.76	14.96	15.59	IP20	165	Yes	External***	\$16,864
VFD-RSI-400-H2-4C	400	481**	300	375	36.34	16.77	17.32	IP00	265	Yes	External***	\$24,833
VFD-RSI-500-H2-4C	500	613**	400	478	39.37	23.62	19.69	IP00	409	Yes	External***	\$40,127
VFD-RSI-650-H2-4C	650	770**	500	591	39.37	23.62	19.69	IP00	409	Yes	External***	\$44,868
VFD-RSI-800-H2-4C	800	962**	600	740	41.50	30.55	19.67	IP00	584	Yes	External***	\$53,842

* For UL type 1 add conduit box option.

** Normal Duty 110%.

*** Requires External Braking (DBU and DBR), Consult Factory.

H2 SERIES - OPTIONS AND ACCESSORIES

Option Cards

Model Number	Description	List Price
PC-100096-00	Lonworks Option Card	\$341
PC-100097-00	Extended I/O Card, H2 Series VFD	\$329
PC-100098-00	Ethernet/IP, Modbus-TCP Option, Dual Port	\$411

Fins Out Mounting

Model Number	Description	List Price
BRKT-100770-03	Mounting Flange, 230V : 1~15HP/460V: 1 ~ 15HP	\$141
BRKT-100794-00	Mounting Flange, 230V : 20HP/480V : 20~25HP	\$85
BRKT-100794-01	Mounting Flange, 230V : 25HP/480V : 30~40HP	\$85
BRKT-100794-02	Mounting Flange, 480V : 50HP	\$51
BRKT-100794-03	Mounting Flange, 480V : 60~75HP	\$51
BRKT-100794-04	Mounting Flange, 480V : 100~125HP	\$51
BRKT-100794-05	Mounting Flange, 480V : 150~200HP	\$860
BRKT-100794-06	Mounting Flange, 480V : 250~300HP	\$869
BRKT-100794-07	Mounting Flange, 480V : 350~400HP	\$1,021
BRKT-100794-08	Mounting Flange, 480V : 500~650HP	\$1,108
BRKT-100794-09	Mounting Flange, 480V : 800HP	\$1,276

Conduit Box

Model Number	Description	List Price
EN-101040-00	Conduit Box, 230V : 20HP/ 480V : 20~25HP	\$60
EN-101040-01	Conduit Box, 230V : 25HP/480V : 30~40HP	\$60
EN-101040-02	Conduit Box, 480V : 50HP	\$82
EN-101040-03	Conduit Box, 480V : 60~75HP	\$82
EN-101040-04	Conduit Box, 480V : 100~125HP	\$82
EN-101040-05	Conduit Box, 480V : 150~200HP	\$506
EN-101040-06	Conduit Box, 480V : 250~300HP	\$679
EN-101040-07	Conduit Box, 480V : 350~400HP	\$679
EN-101040-08	Conduit Box, 480V : 500~650HP	\$1,094
EN-101040-09	Conduit Box, 480V : 800HP	\$1,239
EN-101040-10	Conduit Box, 240V/480V : 1HP - 15HP	\$47

Keypad / LCD Display Items

Model Number	Description	List Price
KP-100003-00	Keypad Blank Insert (at VFD when Remote Mounting LCD)	CF
VFD-2M-RE-CABLE-H2	Bezel & Cable, RJ45, 2M, S/SW/H2 Series VFD, for Remote Mounting	\$35
VFD-3M-RE-CABLE-H2	Bezel & Cable, RJ45, 3M, S/SW/H2 Series VFD, for Remote Mounting	\$48
CV-100017-00	LCD Cover, Remote Mounting, NEMA 4X, S, SW & H2 Series VFD	\$213
LCD-100003-00	LCD Keypad/Display, H2 Series VFD (Spare Part)	\$141

CF Consult Factory

Price Effective May 1, 2022

H2P SERIES - PRICING

230V Model Number	Normal Duty 120% OL/1 min.		Heavy Duty 150% OL/1min.		Dimensions (inches)			Degree of Protection	Weight	List Price
	HP	Amps	HP	Amps	H	W	D			
VFD-RSI-007-H2P-2C	7.5	22	5	17	9.13	6.30	7.13	IP20	7.3	\$1,423
VFD-RSI-010-H2P-2C	10	30	7.5	24	9.13	6.30	7.13	IP20	7.3	\$1,580
VFD-RSI-015-H2P-2C	15	42	10	32	9.13	6.30	7.13	IP20	7.3	\$1,784
VFD-RSI-020-H2P-2C	20	56	15	46	11.42	7.09	8.08	IP20	10.1	\$2,483
VFD-RSI-025-H2P-2C	25	69	20	60	13.78	8.66	8.79	IP20	15.7	\$3,048

* For UL type 1 add conduit box option.

460V Model Number	Normal Duty 120% OL/1 min.		Heavy Duty 150% OL/1min.		Dimensions (inches)			Degree of Protection	Weight	List Price
	HP	Amps	HP	Amps	H	W	D			
VFD-RSI-007-H2P-4C	7.5	12	5	8	9.13	6.30	7.13	IP20	7.3	\$1,355
VFD-RSI-010-H2P-4C	10	16	7.5	12	9.13	6.30	7.13	IP20	7.3	\$1,378
VFD-RSI-015-H2P-4C	15	24	10	15	9.13	6.30	7.13	IP20	7.4	\$1,649
VFD-RSI-020-H2P-4C	20	30	15	22	11.42	7.09	8.08	IP20	10.1	\$2,258
VFD-RSI-025-H2P-4C	25	38	20	28	11.42	7.09	8.08	IP20	10.6	\$2,709
VFD-RSI-030-H2P-4C	30	45	25	35	13.78	8.66	8.79	IP20	16.5	\$3,138
VFD-RSI-040-H2P-4C	40	61	30	41	13.78	8.66	8.79	IP20	16.5	\$3,274
VFD-RSI-050-H2P-4C	50	75	40	55	17.72	10.83	11.18	IP20	57	\$4,719
VFD-RSI-060-H2P-4C	60	91	50	67	20.08	12.80	11.18	IP20	77	\$5,870
VFD-RSI-075-H2P-4C	75	107	60	81	20.08	12.80	11.18	IP20	77	\$6,299
VFD-RSI-100-H2P-4C	100	142	75	106	21.67	12.80	12.17	IP20	95	\$7,890
VFD-RSI-125-H2P-4C	125	169	100	136	21.67	12.80	12.17	IP20	95	\$8,804
VFD-RSI-150-H2P-4C	150	223**	125	169	27.80	11.81	15.20	IP20	123	\$11,829
VFD-RSI-200-H2P-4C	200	264**	150	195	27.80	11.81	15.20	IP20	123	\$12,530
VFD-RSI-250-H2P-4C	250	325**	200	255	27.76	14.96	15.59	IP20	165	\$15,351
VFD-RSI-300-H2P-4C	300	370**	250	303	27.76	14.96	15.59	IP20	165	\$17,722
VFD-RSI-400-H2P-4C	400	481**	300	375	36.34	16.77	17.32	IP00	265	\$26,075
VFD-RSI-500-H2P-4C	500	613**	400	478	39.37	23.62	19.69	IP00	409	\$42,103
VFD-RSI-650-H2P-4C	650	770**	500	591	39.37	23.62	19.69	IP00	409	\$47,069
VFD-RSI-800-H2P-4C	800	962**	600	740	41.50	30.55	19.67	IP00	584	\$56,551

* For UL type 1 add conduit box option.

** Normal Duty 110%.

*** Requires External Braking (DBU and DBR), Consult Factory.

H2X SERIES - PRICING



Standard Low Voltage Drive Packages

480V Model Number	Drive Rating Heavy Duty 150% OL/1 min		Circuit Breaker (65 KAIC) Size	Dimensions (inches)	NEMA 3R List Price
	HP	Amps	Amps	(H x W x D)	
☞RSI-005-H2XHD4-CB-A-3R	5	8	15	24" x 24" x 12"	\$7,320
☞RSI-007-H2XHD4-CB-A-3R	7.5	12	20	24" x 24" x 12"	\$7,340
☞RSI-010-H2XHD4-CB-A-3R	10	15	30	24" x 24" x 12"	\$7,708
☞RSI-015-H2XHD4-CB-A-3R	15	22	40	30" x 30" x 12"	\$9,470
☞RSI-020-H2XHD4-CB-A-3R	20	28	50	30" x 30" x 12"	\$10,108
☞RSI-025-H2XHD4-CB-A-3R	25	35	60	30" x 30" x 12"	\$10,752
☞RSI-030-H2XHD4-CB-A-3R	30	41	80	30" x 30" x 12"	\$10,952
☞RSI-040-H2XHD4-CB-A-3R	40	55	100	36" x 30" x 16"	\$13,404
☞RSI-050-H2XHD4-CB-A-3R	50	67	125	36" x 30" x 16"	\$14,960
☞RSI-060-H2XHD4-CB-A-3R	60	81	150	36" x 30" x 16"	\$15,514
☞RSI-075-H2XHD4-CB-A-3R	75	106	200	36" x 30" x 16"	\$16,402
☞RSI-100-H2XHD4-CB-A-3R	100	136	225	36" x 30" x 16"	\$20,304
☞RSI-125-H2XHD4-CB-A-3R	125	169	250	48" x 36" x 20"	\$24,537
☞RSI-150-H2XHD4-CB-A-3R	150	195	300	48" x 36" x 20"	\$26,774
☞RSI-200-H2XHD4-CB-A-3R	200	255	400	48" x 36" x 20"	\$33,692
✖RSI-250-H2XHD4-CB-A-3R	250	303	500	72" x 48" x 24"	\$36,430
✖RSI-300-H2XHD4-CB-A-3R	300	375	600	72" x 48" x 24"	\$52,749
✖RSI-400-H2XHD4-CB-A-3R	400	478	800	72" x 48" x 24"	\$75,388
✖RSI-650-H2XHD4-CB-A-3R	500	591	1000	72" x 48" x 24"	\$83,461
✖RSI-800-H2XHD4-CB-A-3R	600	740	1200	72" x 48" x 24"	\$97,202

☞ Web stocked. Allow 2 weeks build if out of stock on web.

✖ Built-to-order. Please allow 4 weeks lead time.

BenshawExpress.com

H2E SERIES - PRICING

Engineered Low Voltage Drive Packages

Enclosed Drives - Combination Circuit Breaker 230V

7.5 HP - 25 HP NEMA 12 AND 3R VENTILATED

230V Model Number	Normal Duty Current/1min.		Heavy Duty 150% Current/1min.		Circuit Breaker (65KAIC) Amp Rating	Dimensions (inches) (H x W x D)	List Price	
	HP	Amps	HP	Amps			A-1A	A-3R
RSI-007-H2-2-CB-X-XX	7	22	5	17	30 A	24" x 24" x 12"	\$6,240	\$7,449
RSI-010-H2-2-CB-X-XX	10	30	7.5	24	40 A	30" x 30" x 12"	\$6,503	\$7,711
RSI-015-H2-2-CB-X-XX	15	42	10	32	60 A	30" x 30" x 12"	\$7,067	\$8,288
RSI-020-H2-2-CB-X-XX	20	56	15	46	70 A	30" x 30" x 12"	\$8,320	\$9,541
RSI-025-H2-2-CB-X-XX	25	69	20	60	90 A	30" x 30" x 12"	\$9,105	\$10,325

Enclosed Drives - Combination Circuit Breaker 460V

7.5 HP - 800 HP NEMA 12 AND 3R VENTILATED

480V Model Number	Normal Duty 120% Current/1min.		Heavy Duty 150% Current/1min.		Circuit Breaker (65KAIC) Amp Rating	Dimensions (inches) (H x W x D)	List Price	
	HP	Amps	HP	Amps			A-1A	A-3R
RSI-007-H2-4-CB-X-XX	7.5	12	5	8	15 A	24" x 24" x 12"	\$6,165	\$7,373
RSI-010-H2-4-CB-X-XX	10	16	7.5	12	20 A	24" x 24" x 12"	\$6,183	\$7,392
RSI-015-H2-4-CB-X-XX	15	24	10	15	30 A	24" x 24" x 12"	\$6,890	\$8,110
RSI-020-H2-4-CB-X-XX	20	30	15	22	40 A	30" x 30" x 12"	\$8,006	\$9,227
RSI-025-H2-4-CB-X-XX	25	38	20	28	50 A	30" x 30" x 12"	\$8,644	\$9,866
RSI-030-H2-4-CB-X-XX	30	45	25	35	60 A	30" x 30" x 12"	\$9,279	\$10,499
RSI-040-H2-4-CB-X-XX	40	61	30	41	80 A	30" x 30" x 12"	\$10,126	\$11,347
RSI-050-H2-4-CB-X-XX	50	75	40	55	100 A	36" x 30" x 16"	\$12,045	\$13,266
RSI-060-H2-4-CB-X-XX	60	91	50	67	125 A	36" x 30" x 16"	\$13,580	\$14,801
RSI-075-H2-4-CB-X-XX	75	107	60	81	150 A	36" x 30" x 16"	\$14,133	\$15,354
RSI-100-H2-4-CB-X-XX	100	142	75	106	200 A	36" x 30" x 16"	\$17,537	\$18,757
RSI-125-H2-4-CB-X-XX	125	169	100	136	225 A	36" x 30" x 16"	\$19,817	\$21,053
RSI-150-H2-4-CB-X-XX*	150	223**	125	169	250 A	48" x 36" x 20"	\$23,429	\$24,665
RSI-200-H2-4-CB-X-XX*	200	264**	150	195	300 A	48" x 36" x 20"	\$25,329	\$26,565
RSI-250-H2-4-CB-X-XX*	250	325**	200	255	400 A	48" x 36" x 20"	\$29,055	\$30,290
RSI-300-H2-4-CB-X-XX*	300	370**	250	303	500 A	72" x 48" x 24"	\$34,718	\$35,955
RSI-400-H2-4-CB-X-XX*	400	481**	300	375	600 A	72" x 48" x 24"	\$50,978	\$52,274
RSI-500-H2-4-CB-X-XX*	500	613**	400	478	800 A	72" x 48" x 24"	\$73,618	\$74,914
RSI-650-H2-4-CB-X-XX*	650	770**	500	591	1000 A	72" x 48" x 24"	\$81,690	\$82,987
RSI-800-H2-4-CB-X-XX*	800	962**	600	740	1200 A	72" x 48" x 24"	\$95,430	\$96,727

A-1A = VFD in fan and filtered enclosure.

A-3R = VFD in fan and filtered 3R enclosure.

*Units should be mounted out of direct sunlight.

For options refer to pages 193.

** 110% current for 1 minute.

Price Effective May 1, 2022

H2E SERIES - OPTIONS

Engineered Low Voltage Drive Packages

PUSH-BUTTONS

Model Number	Description	List Price
QB	Raised Stop Push-Button — Red	\$113
QC	Flush Start Push-Button — Green	\$113
QD	Jog Push-Button - Yellow	\$113
QE	OI Reset Push-Button — (For External OI Relay) — Black	\$113
QF	Reset Push-Button — Black	\$113
QG	Raised Push-Button — Specify Color and Function	\$113
QH	Flush Push-Button — Specify Color and Function	\$113
QJ	Mushroom Head Stop Push-Button — Red	\$141
QK	Illuminated Push-Button — Specify Color and Function	\$226
QL	On/Off Push-Button	\$113
QM	O/L trip Reset Button	\$113

PILOT LIGHTS

Model Number	Description	List Price
QN	Red Run Light	\$141
RJ	Green Stop Light	\$141
RK	Amber Fault Light	\$141
RL	Green Ready Light	\$141
RM	Amber Bypass Light	\$141
RN	Red Light — Specify Function	\$141
RP	Green Light — Specify Function	\$141
RQ	Amber Light — Specify Function	\$141
RR	White Light — Specify Function	\$141
RS	Blue Light — Specify Function	\$141
RT	Push to Test Contact Assembly (Addition to Above)	\$226
QP	Power On Light — White	\$226

POTENTIOMETERS

Model Number	Description	List Price
S7	1 Turn Potentiometer - NEMA 1	\$254
S8	10 Turn Potentiometer - NEMA 1	\$282

For additional options, contact factory.
CF - Contact Factory

SELECTOR SWITCHES

Model Number	Description	List Price
QV	Hand-Off-Auto Selector Switch	\$226
QW	Local-Off-Remote Selector Switch	\$226
TV	Key-Operated Hand-Off-Auto Selector Switch	\$282
TW	Dual Ramps Selector Switch	\$226
TX	Two-Position Selector Switch — Specify Function	\$226
TY	Three-Position Selector Switch — Specify Function	\$226
TZ	Other Selector Switch — Specify Function and Type	CF

METERS

Model Number	Description	List Price
KT	Analog Ammeter	\$339
KU	Analog Ammeter (3-phase with selector)	\$339
KV	Analog Voltmeter	\$339
KW	Analog Voltmeter (3-phase with selector)	\$339
KX	Elapsed Timer Meter (analog, non-resettable)	\$339
KY	Operations Counter	CF
KZ	AC Wattmeter	CF
L2	AC Watt Hour Meter	CF
L3	Other Power Metering - Specify Function	CF
L4	Analog Ammeter (utilizes VFDs analog output)	CF
L5	Analog Voltmeter (utilizes VFDs analog output)	CF

SPACE HEATERS

Model Number	Description	List Price
A171	Space Heater with Thermostat	\$508

Benshaw Group

Benshaw, Inc.

615 Alpha Drive
Pittsburgh, PA 15238 United States
Toll Free: 1-800-441-8235
Phone: 412-968-0100
Fax: 412-968-5415

Benshaw Canada Controls, Inc.

550 Bright Street East
Listowel, Ontario N4W 3W3 Canada
Toll Free: 1-877-291-5112
Phone: 519-291-5112
Fax: 519-291-2595

-

Benshaw Excel

Detroit, MI

Benshaw - Aucom Ltd.

New Zealand

Benshaw - Aucom Ltd. International

- Germany
- Dubai
- Korea

www.Benshaw.com



BENSHAW
Applied Motor Controls